

0300

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT : Gerald T. Mearini, Ph.D

MARK : **HIGH THROUGHPUT HIGH-YIELD  
VACUUM DEPOSITION SYSTEM FOR  
THIN FILM BASED DENSE  
WAVELENGTH DIVISION  
MULTIPLEXERS**

SERIAL NO. : 09/902,250

FILED : July 10, 2001


ATTORNEY DOCKET NO. : 0937.0016

Akron, Ohio 44308-1136  
September 10, 2001

\*\*\*\*\*

CERTIFICATE OF MAILING

I hereby certify that this **NOTICE TO FILE CORRECTED APPLICATION PAPERS** is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner of Patents and Trademarks, Washington, DC 20231, on this 10 day of September, 2001.

By:   
Janet E. Sigler

\*\*\*\*\*

Commissioner of Patents  
and Trademarks  
Washington, D.C. 20231

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Dear Sirs:

Enclosed are the substitute drawings in compliance with the Notice to File Corrected Application Paper of August 28, 2001.

Check to cover the filing fee (37 C.F.R. 1.16(a) et seq.), and the surcharge set forth in 37 C.F.R. 1.16(e).


The Commissioner is hereby authorized to charge payment of any additional fees due to credit any overpayment to Deposit Account No. 05-0875. A duplicate copy of this sheet is enclosed.

Having now complied with all of the requirements of 37 C.F.R. 1.53, applicant respectfully requests that this application be placed upon the files for examination.

Respectfully submitted,

**EMERSON & SKERIOTIS**

September 10, 2001  
Date

  
Daniel A. Thomson, Esq.  
Reg. No. 43,189  
One Cascade Plaza- Fourteenth Floor  
Akron, Ohio 44308-1136  
(330) 535-9999



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/902,250	07/10/2001	Gerald T. Mearini	0937.0016

CONFIRMATION NO. 9551

## FORMALITIES LETTER



\*OC000000006488068\*

Daniel A. Thomson, Esq.  
Fourteenth Floor  
One Cascade Plaza  
Akron, OH 44308-1147

Date Mailed: 08/28/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. ( 5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

*Amelia Manalac*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE